

Value Weighing Product

Low Cost

High Value

HL series Portable Scale



Choice of 4 capacities

200g x 0.1g

400g x 0.1g

2000g x 1g

4000g x 1g

Features:

Low Cost

Portable

Battery or AC adaptor power

7 segment Liquid Crystal Display

Auto Power Off

Low Battery Indicator

Battery Life approx. 200 hours(alkaline batteries)

Simple Calibration via front panel keys

Removable weighing pan

Stability indicator

Minus sign for net weighing

Specifications:

	HL-200	HL-400	HL-2000	HL-4000
Capacity	200g	400g	2000g	4000g
Calibration weight	200g -0.02g	400g -0.02g	2000g-0.2g	4000g-0.2g
Resolution	0.1g		1g	
Non-Linearity	-0.2g		-2g	
Repeatability	-0.1g		-1g	
Span Drift	-0.015%/ °CTYP(5°C-35°C)			
Display	8mm, 7 segment liquid crystal display			
Platform size	136mm x 136mm			
Dimensions	140mm(W) x 136mm(D) x 44.5mm(H)			
Weight	Approximately 500g			
Power	6 x "AA" size batteries or AC adaptor			
Battery Life	Approximately 100 hours (manganese) / 200 hours (alkaline) at 20			
Operating Temperature	10° C-40° C, less than 85%RH (Non-condensing)			
Accessories	Instruction Manual			
Options	AC adaptor			

A&D

A&D MERCURY PTY. LTD.

ACN 007 556 809

Head Office

32 Dew Street

THEBARTON

South Australia 5031

Telephone (08) 8352 3033

Facsimile (08) 8352 7409

Victorian Office

Unit 4

Cnr. Arden & Lloyd Streets

KENSINGTON

Victoria 3031

Telephone (03) 9372 1522

Facsimile (03) 9372 1193

Email: sales@andmercury.com.au

Internet page: <http://www.andmercury.com.au>

New South Wales Office

Unit 4

14 Abbott Road

SEVEN HILLS

New South Wales 2147

Telephone (02) 9674 5466

Facsimile (02) 9674 2544

Your Dealer

HL-100

Compact balance



High resolution portable balance

Resolution 100g x 0.01g

Solid and reliable design

Detachable weighing pan

Accurate reading over a wide temperature range

Portable with power provided by 6 x AA type batteries

Separate keys for Power and Re-Zero

Standard carrying case to protect your investment

AC adaptor optional

A&D
A&D MERCURY PTY. LTD.

Applications

School use in teaching laboratories

Jewellery shops for checking precious stones

Office for accurately checking mail postage costs

Laboratories for experimentation and research

Field use for quality control and research

Farms for accurate weighing of seeds etc.

Mining for checking samples

Specifications

Capacity / resolution 100g x 0.01g

Linearity +/- 0.03g

Repeatability/std. Devn. 0.02g

Pan size 70mm diameter

Battery life 140 hours with alkaline cells

Weight Approx. 500g

Dimensions (mm)

HL-100

